

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;

The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;

A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;

The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;

• To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;

1. This figure has been based on the

Rotor diameter: 140m

• Height to blade tip: 180m

2. Turbine positions could be subject to micro-siting (typically up to 50m).

3. Direction given as bearing relative to Grid

4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects

	E353 839, N839 482		
с.	143m AOD		
	1.5m AGL		
e centre <sup>3</sup> :	235°		
turbine:	12,510m		
ting units theoretically visible <sup>4</sup> :	1		
point photography:	11/09/2019 @ 20:55		
	Nikon D600		
	Nikon 50mm f/1.8		


## Information on the limitations of visualisations:

• The images must be printed at the right size to be viewed properly (260mm by 820mm);

· You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

• The ZTV presented here takes no account of the screening effects of vegetation or buildings.





OS reference:	E353 839, N839 482	Horizontal field of view:	90° (cylindrical projection)	Camera:	Nikon D600	Client	Clashindarro
Eye level:	144.5m AOD	Principal distance:	522mm	Lens:	Nikon 50mm f/1.8	VATTENFALL 🗕	Supplementa
Direction of view:	235°	Paper size:	841mm x 297mm (half A1)	Camera height:	1.5m AGL		
Nearest lit turbine:	12,510m	Correct printed image size:	820 x 130mm	Date and time:	11/09/2019 20:55	_	



Photomontage (2000ed Intensity Lighting)

Note: The light intensity at this location would be between 800-265cd during periods of poor visibility in any direction within 5km. The photomontage provides an impression of the proposed lighting intensity at 2000cd and assumes clear visibility from the viewpoint location.

. .

E353 839, N839 482

144.5m AOD

235°

12,510m

OS reference:

Direction of view:

Nearest lit turbine:

Eye level:

Horizontal field of view:

Principal distance:

Paper size:

53.5° (planar projection) 812.5mm 841mm x 297mm (half A1) Camera height: 820 x 260mm Correct printed image size:

Date and time:

Camera:

Lens:

Nikon D600 Nikon 50mm f/1.8 1.5m AGL 11/09/2019 20:55

Client VATTENFALL 🗕



Supplementary Information

SI 2021 Figure 7.15c Viewpoint N11: Battle Hill, Huntly

October 2021

• • •





Photomontage (200cd Intensity Lighting)

Note: The light intensity at this location would be between 80-27cd during periods when the visibility is clear for 5km in all directions from the light source. The photomontage provides an impression of the proposed lighting intensity at 200cd and assumes clear visibility from the viewpoint location.

Principal distance:

Paper size:

E353 839, N839 482

144.5m AOD

235°

12,510m

OS reference:

Direction of view:

Nearest lit turbine:

Eye level:

Horizontal field of view: 53.5° (planar projection) 812.5mm 841mm x 297mm (half A1) Camera height: 820 x 260mm Correct printed image size:

Camera:

Lens:

Date and time:

Nikon D600 Nikon 50mm f/1.8 1.5m AGL 11/09/2019 20:55

Client 

Supplementary Information



SI 2021 Figure 7.15d Viewpoint N11: Battle Hill, Huntly

October 2021 • • •

