Viewpoint Parameters

OS reference: E354 685, N823 345

Ground Level Elevation: 381m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 311°

Distance to nearest lit turbine: 13,478m

Number of nacelle lighting units theoretically visible4:

13/09/2019 @ 20:20 Date and time of viewpoint photography:

Nikon D600 Camera:

Nikon 50mm f/1.8

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- · You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

1. This figure has been based on the following parameters:

Turbine layout file: CLASHINDARROCH II.WFL

- Hub height: 110m • Rotor diameter: 140m
- Height to blade tip: 180m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
- 5. This figure is produced in accordance with SNH Visual Representation of Wind Farms 2017 guidance and also broadly accords with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).

VATTENFALL

Clashindarroch II Wind Farm Supplementary Information

SI 2021 Figure 7.16a Viewpoint N12: **Correen Hills, Old Military Road**

October 2021

Key

90° horizontal field of view 53.5° horizontal field of view

2000cd to 1500cd / 200cd to 150cd 3° to 0° -1° to -2° 800cd to 265cd / 80cd to 27cd

265cd to 200cd / 27cd to 20cd -2° to -3°

200cd to 175cd / 20cd to 18cd 175cd to 75cd / 18cd to 8cd

Lit Turbine **Unlit Turbine**

2000cd to 750cd / 200cd to 75cd 0° to -1°

• • •

Wood.





